



Grapes - 3D Audio Control User Guide

v1.2.0

This guide will be updated regularly as the software is improved and developed further. Be sure to check for updates and additional information at

<https://www.grapes3d.com/>

© Not a Number GmbH 2025,

All rights reserved. No part of this publication may be reproduced or distributed in any form, including electronic formats, without explicit permission.

Table of contents

1. Introduction	3
2. System requirements	3
3. “Installation”	3
4. GUI Overview	4
5. Clip Section	5
5.1. Clips.....	5
5.1.1. Movement and Behavior presets.....	6
5.1.2. Clip Buttons.....	7
5.1.3. Clip Settings.....	7
5.1.3.1. Parameter Sections.....	7
5.1.3.2. Perform.....	8
5.1.3.3. Transform.....	8
5.1.3.4. Movement / behavior specific parameters.....	9
5.1.3.5. Group Parameters.....	10
5.2. Tracks.....	11
5.2.1. Track Header.....	11
5.2.2. Track Settings.....	11
5.2.3. Track Footer: View, Write, Mute, Solo.....	11
5.3. Rows.....	12
6. Canvas	13
6.1. Trajectories and Quick Edits.....	13
6.2. Minimal View.....	13
6.3. Zoom.....	14
6.4. Navigation.....	14
6.5. Center View.....	14
7. Listener	14
8. Main Menu	15
8.1. Project import / export (VST3 only).....	15
8.2. BPM.....	15
8.3. Sync Modes.....	15
8.4. Meter.....	15
8.5. Global Speed.....	16
8.6. Global Transition.....	16
8.7. Global Transports.....	16
8.8. Parameter Mappings.....	16
8.9. OSC Connections.....	17
8.10. OSC Input.....	18
8.11. Midi Devices.....	19

1. Introduction

Grapes is a universal tool designed for effortless mixing, performing and operating 3D audio across music, film, theater, AR/VR, games and arts.

Grapes is available as VST3 and standalone versions. It talks OSC natively to leading immersive audio processors such as: SAD, IEM PlugIn Suite, L-ISA, d&b soundscapes, Spat Gris, Auralite, ADM and many more.

Grapes does not do any audio processing but sends your choreographies of movements to the 3D audio engine of your choice.

2. System requirements

Windows	10 and later, 64 bit
Mac OS	12 and later, 64 bit

3. “Installation”

Get latest Grapes - 3D Audio Control Version from www.grapes3d.com


Windows

VST3	Copy Grapes VST3 file into your preferred PlugIn directory and rescan PlugIn directories in your DAW
Standalone	Double-click the Grapes 3D Audio Control installer. Follow the setup assistant's instructions to complete the installation process. Directory: C:/Programs/Grapes

Mac OS

Standalone + VST3	Double-click the Grapes 3D Audio Control installer. Follow the setup assistant's instructions to complete the installation process. Directory VST3: /Library/Audio/Plug-Ins/VST3/Grapes.vst3 Directory Standalone: /Application/Grapes.app
-------------------	--

4. GUI Overview




5. Clip Section


The Clip Section is a Clip based Sequencer for movements and trajectories and displays a matrix of 8x8 clips. In total 64 (horizontal “Tracks”) x 16 (vertical “Rows”) clip fields are available.

Here you can start choreographing your sound objects in space.

To navigate through the full clip field you can either use the navigation arrows or the mini map on top of the Clip Section.



Interactions in the Clip Section

Interaction	Description	
create	click + symbol on empty field and select a movement	
move	drag&drop	
duplicate	alt + drag&drop	
delete	drag&drop clip onto the navigation arrows which will transform into a trash can	

5.1. Clips

Create a Clip by clicking into an empty field and choose a Movement or Behavior preset from the dropdown menu. Each preset provides a basic geometric shape or concept on how to move your object or groups of objects. Once a Clip is created you can customize and manipulate the movement or behavior in the [Clip settings](#).

Each Clip defines the movement or behavior of a single object or a group. Objects or groups are assigned to Tracks (see also [Track Settings](#)).

5.1.1. Movement and Behavior presets

To create all kinds of movements for single objects or groups you can choose a movement or behavior from the preset list and create a clip in the clip grid or remove and copy/paste clips.

Remove	Drag
Copy	Use the Drag behavior to simply move your object or group by drag&dropping it on the canvas
 Drag	Follow
 Draw	with the Follow behavior you can make one object or a group follow another one. Choose the leader and use flip x / y to generate synchronized, mirrored movements
 Line	Line, Triangel, Square, Circle, spiral
 Circle	Create trajectories of the respective geometric shape with these presets
 Triangle ✓	Random
 Square	make your object or group move randomly and tweak the power, speed or area within your object will wander around
 Spiral	Lissajous
 Lissajous	Lissajous figures are curve graphs created by superimposing two harmonic oscillations of different frequencies at right angles to each other. Create all kinds of Lissajous curves as a trajectory for your object or group.
 Waveshaper	
 Follow	
 Random	
 Swarm	
 Read	

Waveshaper

With the waveshaper you can create Sine, Cos, Triangle, Saw and Rectangular curve graphs as trajectories for your object or group

Swarm

By applying swarm behavior to a group of objects, you can create a wide range of decentralized, self-organizing collective behaviors, inspired by naturally or artificially occurring swarm dynamics.

Draw

Draw your own trajectories directly on the canvas! Your self-drawn path can be scaled and edited within the Clip Settings as well.

Read

Use the read behavior to read your recorded midi automation from the daw. [How to write the parameter automation see here: Write, Solo Mute, Show.](#)

5.1.2. Clip Buttons



play / pause combi button

triggers play / pause for Clip (+ctrl: forces play / pause regardless of any clip trigger mode settings)

stop button

triggers stop for Clip (+ctrl: force stop regardless of any clip trigger mode settings)

select button


change trajectory / behavior preset of clip

settings button

opens Clip Settings Browser -> 4.1.3

5.1.3. Clip Settings

The Clip Settings Browser offers a range of parameters for each clip, allowing for customization and adjustments, such as the speed, direction and scale of movements and behaviors.



5.1.3.1. Parameter Sections

All parameters are categorized in sections and organized in tabs, which can be collapsed or expanded.

Perform and Transform are the common parameter sections which provide common parameters (same for each clip).

Additionally, there are parameters specific to the selected movement / behavior, and group settings.

5.1.3.2. Perform

Parameter	Description
Speed	controls the speed of the movement / behavior
Speed Q	toggle on/off quantification of speed to the bpm (either internal bpm or external, when sync mode set to DAW)
Offset	set the starting point for your object / group on the trajectory
Fade	set the fade to control hardness / smoothness of the fade between clips <i>fade 0</i> = hard cut <i>fade 5</i> = longest transition between clips
Direction	choose between forward, backward and alternating
Trigger Mode	choose between free, bar and beat <i>free</i> : clip is played immediately when triggered <i>bar</i> : clip is scheduled when triggered and plays on next bar <i>beat</i> : clip is scheduled when triggered and plays on next beat
Finished Action	choose what happens if clip is finished: next: triggers next clip previous: triggers previous clip Note: only works when clip Loop Mode is set to <i>one shot</i>
Loop Mode	choose between <i>loop</i> and <i>one shot</i>

5.1.3.3. Transform

Parameter	Description
Position x	set the position of the center handle of the trajectory on the x axes
Position y	set the position of the center handle of the trajectory on the y axes
Position z	set the position of the center handle of the trajectory on the z axes (Note: Currently, adjusting the Z-axis does not provide visual feedback.)
Position z [P]	P stands for "project". When activated, the z-axis is locked and projected onto a dome surface. When deactivated, you can adjust the z-axis freely.
Scale general	scale the trajectory in general
Scale x	scale the trajectory in the x axes
Scale y	scale the trajectory in the y axes

Rotate	rotate the trajectory around the center handle
--------	--

5.1.3.4. Movement / behavior specific parameters

Movement / Behavior	Parameter	Description
Drag	Friction	adds a little laziness to the reaction of the object / group to your drag&drop movement
Follow	Dealy	sets a time delay on the following object
	Leader	select the leading object
	Flip x / y	mirror x / y
Line, Triangle, Square	Easing	adjust the density of points along the trajectory, thereby altering the speed rate.
Circle	Easing #	adjust the number of easing spots—areas where the point density increases based on the Easing Depth
	Easing Depth	adjust the density of points along the trajectory, thereby altering the speed rate.
Spiral	Rotations	adjust the amount of rotations for the spiral
Random	Vivid	adjust how vibrant and lively your object behaves
	Power	adjust the strength
	Uniform	choose how consistent, homogeneous your object / group
Lissajous	Frequency X	modulate Lissajous figures in X axes
	Frequency Y	modulate Lissajous figures in Y axes
Waveshaper	Wave Mode	choose between the following waveshapes: Sinus (Sin), Cosinus (Cos), Rectangular (Rect), Triangle (Tri) or Sawtooth (Saw)
	Frequency	adjust the frequency for the selected waveshape
	Phase	adjust the phase
Swarm (for groups)	Force min / max	set the range of force by defining the minimum and maximum values
	Speed min / max	set the range of Speed by defining the minimum and maximum values

	Perception	defines the range or scope within which an individual in the swarm senses and interacts with other members
	Separation	specifies the degree of separation between the objects
	strength	controls the intensity of interactions between individuals in the swarm
	alignment	controls how individuals adjust their direction to match the average direction of their neighbors, promoting cohesive group movement
	desire	indicates how strongly an individual is motivated to move towards a target or goal
	cohesion	refers to the tendency of individuals to move towards the average position of their neighbors, promoting group unity and reducing dispersion
	leader	define a leader source that the swarm will follow
Draw	Draw new path	press the button to clear the existing path and draw a new one

5.1.3.5. Group Parameters

Group parameters are accessible for clips on tracks that contain more than one object (a group).

Parameter	Description
Offset	sort or rearrange objects to alter their order along the trajectory
Spread	spread the objects along the trajectory based on the Spread Mode
Spread Modes	One Sided
	Two Sided
	Alternate
Jitter	small, rapid variations of the spread

5.2. Tracks


A single vertical column is called a "Track," which can have up to 128 assigned objects. Each Clip within the Track always refers to the object or group of objects assigned to that Track.

5.2.1. Track Header

Displays the assigned sound objects controlled by clips in this track, along with the track name and the track color. Click on the clip header to access the Track Settings Browser.

5.2.2. Track Settings

Assign one or multiple objects to the Track with the Soundobject Selector, edit color, name in the Adjustments Section.



5.2.3. Track Footer: View, Write, Mute, Solo

Each track features View, Write, Mute and Solo buttons in the track footer.



Button	Description
View	select to only show active Clips Trajectories and handles of selected Track(s)
Write	arm / disarm parameter writing to the DAW (note: the DAW track must be armed or set to write/latch mode). This feature is not available in the

	Standalone version. To read an automation, add a read movement clip to your track and play it.
Mute	Send the mute command to your 3D audio engine, to mute the object or group of objects assigned to the track
Solo	Send the solo command to your 3D audio engine, to solo listen to the object or group of objects assigned to the track

To unarm all active View, Write, Mute, and Solo functions, use the Row Buttons on the right side.

5.3. Rows

A row is a horizontal line of clips. All clips in a row (up to 64 clips) can play simultaneously. To control all clips (up to 64) in a row simultaneously use the rowplay buttons.

Row Buttons



play button

triggers play from beginning of all clips in a row

!! All clips in a row are triggered sequentially from left to right. As a result, objects assigned to multiple tracks may be "stolen," with the most recently triggered clip taking control of the object(s) !!

resume play button

triggers play for all clips not yet playing in a row. Already playing clips keep on playing (+ctrl: forces play regardless of any clip trigger mode settings)


pause

triggers pause for all clips in a row (+ctrl: forces pause regardless of any clip trigger mode settings)

stop button

triggers stop for all clips in a row (+ctrl: force stop regardless of any clip trigger mode settings)

6. Canvas



The canvas displays all objects, trajectories, and handles for all active clips. A clip is active when it's either playing or its settings browser is opened. With quick edit options for clip settings and the [draw](#) mode, the canvas allows for fast interaction and a clear overview of your entire arrangement and choreography of objects.

6.1. Trajectories and Quick Edits

Once a trajectory is created for a single object or group within a clip, it is displayed as a dotted line on the canvas. Each trajectory includes a central point, called the 'handle,' which can be grabbed and moved with the mouse.

Quick edits on the canvas allow for basic adjustments to clip settings using mouse modifiers on the handle:

Clip Settings	Modifying mouse action on handle
scale general	ctrl + mousewheel
Position X / Position Y	drag&drop
rotate	shift + mousewheel
open clip settings	click on handle
trigger play / pause	doubleclick on handle
display trajectory (in Minimal View only)	mouse over


6.2. Minimal View



For a better overview you can enable Minimal View. In this mode, only the trajectory of the clip with an open Clip Settings Browser is shown, along with the handles and objects of all other playing clips. Hovering over a handle will display the trajectories of the respective clip.

Another possibility to completely solo the view for one object or group and the active clips trajectory is the solo view option in the [track footer](#).

6.3. Zoom



To zoom in or out on the canvas, enter the desired percentage in the zoom field or click the arrows and move the mouse up or down. Alternatively, you can zoom directly on the canvas using the mouse wheel.

6.4. Navigation

To navigate the canvas, click&drag the mouse in the desired direction.

6.5. Center View



Press the Center View button to recenter the Canvas view.

7. Listener

The listener defines the point and direction of view and has a scalable listening area that determines the scale of the entire scene or room. Use the Listener Button to show or hide the listener area on the canvas, and the Listener Settings Button next to it to access listener settings.

Listener Settings

Parameter	Description
position x	move the listener and the listener area along the x axis
Position Y	move the listener and the listener area along the y axis
Scale	scale the listener area
Rotate	rotate the listener point of view

8. Main Menu



The main menu bar provides the global transports, access to settings browsers for Parameter Mappings, OSC and Midi Devices and to global controls such as speed, fade, BPM, sync modes and meters.

8.1. Project import / export (VST3 only)

To transfer Grapes 3D Audio Control projects between standalone version and VST3, proceed as following:

- In the **Standalone Version**, save and open projects as usual via **File > Save Project** or **File > Open Project**.
- In **VST3**, import and export projects using the **Project Import/Export** function.



⚠ **Note:** When transferring a project from VST3 to the standalone version, **Read Clips** and **GP Mappings** will be lost, as these features are not available in the standalone version.

8.2. BPM

The BPM field displays the internal speed in Beats per Minute (BPM). To adjust the BPM doubleclick into the field to type in numbers or click&drag up/down. Alternatively you can set Grapes to sync modes.

8.3. Sync Modes

Grapes can run in the following sync modes:

- non: Grapes uses internal set BPM
- DAW: synchronizes Grapes to your DAW and receives transport commands play and pause (when daw is paused or stopped)
- Ableton: Ableton sync mode is coming soon to sync Grapes and Ableton Clip transports such as play, pause, stop, clip length etc.

8.4. Meter

The meter displays the global time signature for all Clips.

8.5. Global Speed

Set the speed for all Clips globally in relation to individual Clip Speed. The individual Clip Speed settings remain.

8.6. Global Transition

Set the global fade to control hardness / smoothness of the fade between clips

fade 0 = hard transition

fade 5 = longest transition between clips

8.7. Global Transports


Transport	Description
play	triggers all clips in its current states global play is triggered automatically, when first clip is played
pause	pauses all clips
stop	stops all clips

8.8. Parameter Mappings




In the Parameter Mappings Browser, you can map parameters to MIDI inputs and General Purpose Parameters (VST3 only). Grapes VST3 provides 128 General Purpose (GP) Parameters, which can be freely assigned and are available in the DAW for automation


To open the Parameter Mapping Browser, click the **Parameter Map** button in the main menu bar. Then, press the **Select Mode** button. You can either manually choose a source from the dropdown or select the last incoming MIDI CC from your controller. Next, add the parameters you want to map—these will be highlighted with transparent blue square overlays. If you want to automatically assign parameters to the next MIDI CC or GP value, enable **Auto-Increment**.



Once you have finished mapping, exit **Select Mode** by pressing the **Select Mode** button again. All mapped parameters will appear in the **Parameter Mapping List**, showing their **Parameter Name**, **Track/Clip**, and **Source** information. Here, you can modify the source assignment, adjust the range, deactivate, or delete mappings as needed.



8.9. OSC Connections



The **OSC Connections Browser** is a core feature of Grapes, allowing you to connect to your OSC receiver(s) and transmit all positioning data for your sound object choreography.

To open the OSC Connections Browser click on the OSC Button in the main menu bar.

To add an OSC connection, you can either:

- Select a preset from the list and press “Add from Preset” to include an OSC module with predefined syntax, or
- Create a custom OSC connection by pressing “Add New Connection” to add an empty OSC module where you can enter your own syntax.

OSC Modules can be activated, deleted or stored as user presets.

8.10. OSC Input

Clips and row transports, such as play, pause, and stop, can be triggered via incoming OSC messages. The messages should be sent in the following format to **Port: 54103**

```
/Grapes/track/<index>/clip/<index>/<command>
```

Commands:

- resume
- forceresume
- play
- forceplay
- stop
- forcestop
- pause
- forcepause

/Grapes/row/<index>/<command>

Commands:

- play
- forceplay
- resume
- forceresume
- pause
- forcepause
- stop
- forcest

8.11. Midi Devices

The MIDI Devices Browser allows you to manage all connected MIDI devices and displays a list of added devices. Once a connected device is added to the list, you can set it to be used for parameter mappings, select a control surface (currently only a preset configuration for Launchpad Mini, with more options coming soon), and activate, deactivate, or delete devices from the list.

